



ELSEVIER

Colloids and Surfaces B: Biointerfaces 17 (2000) 289–290

COLLOIDS
AND
SURFACES

B

www.elsevier.nl/locate/colsurfb

Contents of Volume 17

(Abstracted/indexed in: Chemical Abstracts; Current Contents; Physical, Chemical & Earth Sciences; INSPEC; PASCAL/CNRS; MEDLINE)

Vol. 17 No. 1

| | |
|---|----|
| Adsorption of CETP on monolayers formed from HDL extracted lipids B. Lemkadem, P. Saulnier, F. Boury, J.E. Proust and F. Foussard (Angers, France) | 1 |
| Micelle formation and reaction kinetics of a bioabsorbable polyethylene glycol-oligolactide ABA block copolymer hydrogel P. Jarrett (Lexington, MA, USA), C.B. Lalor (Chapel Hill, NC, USA), L. Chan, M.P. Redmon (Lexington, MA, USA) and A.J. Hickey (Chapel Hill, NC, USA) | 11 |
| Hybrid biomaterials: Surface-MALDI mass spectrometry analysis of covalent binding versus physisorption of proteins K.M. McLean, S.L. McArthur, R.C. Chatelier, P. Kingshott and H.J. Griesser (Clayton; Sydney, Australia) | 23 |
| Effect of polysaccharide structure on protein adsorption S.L. McArthur, K.M. McLean, P. Kingshott, H.A.W. St John, R.C. Chatelier and H.J. Griesser (Clayton; Sydney, Australia) | 37 |
| Influence of polyaspartic acid and phosphophoryn on octacalcium phosphate growth kinetics E.M. Burke, Y. Guo, L. Colon (Buffalo, NY, USA), M. Rahima, A. Veis (Chicago, IL, USA) and G.H. Nancollas (Buffalo, NY, USA) | 49 |
| Measurement of protein adsorption to gold surface by radioiodination methods: suppression of free iodide sorption Y.J. Du, R.M. Cornelius and J.L. Brash (Hamilton, ON, Canada) | 59 |
| Calendar | 69 |

Vol. 17 No. 2

| | |
|--|-----|
| Thermodynamic behavior and relaxation processes of mixed DPPC/cholesterol monolayers at the air/water interface T.-H. Chou and C.-H. Chang (Tainan, Taiwan, ROC) | 71 |
| Analysis of hen egg white lysozyme adsorption on Si(Ti)O ₂ aqueous solution interfaces at low ionic strength: a biphasic reaction related to solution self-association V. Ball and J.J. Ramsden (Basel, Switzerland) | 81 |
| Interactions between whole blood and foreign materials: surface-adsorbed cellulose ethers reduce granulocyte activation by inflammatory mediators C. Karlsson, M. Braide and H. Nygren (Göteborg, Sweden) | 95 |
| Influence of encapsulated enzyme on the surface properties of freeze-dried liposomes in trehalose L. Bakás (La Plata, Argentina) | 103 |
| Tailoring of the external and internal morphology of poly-3-hydroxy butyrate microparticles M.A. Martin, F.C. Miguens, J. Rieumont and R. Sanchez (Horto, Brazil) | 111 |
| Micellar properties of quillaja saponin. 2. Effect of solubilized cholesterol on solution properties S. Mitra and S.R. Dungan (Davis, CA, USA) | 117 |
| Book review | 135 |
| Calendar | 137 |

Vol. 17 Nos. 3

| | |
|--|-----|
| Solvent effect on surface-enhanced Raman activity of copperphthalocyanine on colloidal silver K.M. Mukherjee (West Bengal, India) and T.N. Misra (Calcutta, India) | 139 |
| Effect of binders on polymorphic transformation kinetics of carbamazepine in aqueous solution M. Otsuka, T. Ohfusa and Y. Matsuda (Kobe, Japan) | 145 |
| Sustained release of 17 β -estradiol from poly (lactide-co-glycolide) microspheres in vitro and in vivo T. Mogi, N. Ohtake, M. Yoshida, R. Chimura, Y. Kamaga, S. Ando, T. Tsukamoto, T. Nakajima (Tokyo, Japan), H. Uenodan, M. Otsuka, Y. Matsuda (Kobe, Japan), H. Ohshima and K. Makino (Tokyo, Japan) | 153 |
| Properties of mixed monolayers of DPPC and viscoelasticity-giving substances H. Nanaumi, M. Tajima, M. Hosaka (Tokyo, Japan), T. Sakakibara (Tokyo, Japan), T. Takei, K. Takahashi and M. Ueno (Tokyo, Japan) | 167 |

| | |
|--|-----|
| Stability of oil/water (ethanol, lysozyme or lysine) emulsions | |
| A. Wiącek and E. Chibowski (Lublin, Poland) | 175 |
| <i>Cratylia mollis</i> lectin at the air-aqueous solution interface: adsorption and lectin-lipid interactions | |
| A. Baszkin, M.-M. Boissonnade (Châtenay-Malabry, France), N.S. Santos-Magalhaes, L.B. Carvalho, Jr., M.T.S. Correia and L.C.B.B. Coelho (Recife, PE, Brazil) | 191 |
| Calendar | 203 |

Vol. 17 No. 4

| | |
|---|-----|
| Elaboration of modeled surfaces with well defined microtopochemistry-localization of adsorbed proteins | |
| M.C. Porte-Durrieu, G. N'Kaoua, B. Brouillaud, D. Ricci, H. Grattarola and C. Baquey (Bordeaux, France) | 205 |
| The effect of frequency and power density on the ultrasonically-enhanced killing of biofilm-sequestered <i>Escherichia coli</i> | |
| R.V. Peterson and W.G. Pitt (Provo, UT, USA) | 219 |
| Mucin coating on polymeric material surfaces to suppress bacterial adhesion | |
| L. Shi, R. Ardehali, K.D. Caldwell (Salt Lake City, UT, USA) and P. Valint (Rochester, NY, USA) | 229 |
| Role of the electrostatic interactions on the basic or acidic hydrolysis kinetics of poly-(D,L-lactide) monolayers | |
| T. Ivanova, I. Panaiotov (Sofia, Bulgaria), F. Boury, P. Saulnier, J.E. Proust (Angers, France) and R. Verger (Marseille, France) | 241 |
| Effects of lidocaine on the expansion of lipid monolayer at air/water interface in relation to the local anesthesia | |
| S.-Y. Choi, S.-G. Oh and J.-S. Lee (Seoul, South Korea) | 255 |
| Application of nonionic surfactants combining hydrophobic and hydrophilic cholelitholytic solvents on dissolution of gallstones | |
| M.-Y. Lim, T.-C. Chou, X.-Z. Lin, C.-Y. Chen, T.-R. Ling and S.-C. Shiesh (Tainan, Taiwan, ROC). | 265 |
| Freeze-fracture electron microscopic and calorimetric studies on microscopic states of surface-modified liposomes with poly(ethylene glycol) chains | |
| K. Hashizaki (Chiba, Japan), C. Itoh (Kanagawa, Japan), H. Sakai (Chiba, Japan), S. Yokoyama (Tokyo, Japan), H. Taguchi, Y. Saito, N. Ogawa and M. Abe (Chiba, Japan) | 275 |
| Calendar | 283 |
| Author Index. | 285 |
| Subject Index. | 287 |
| Volume Contents | 289 |

